



System Model: 325-4M-LD 17R-VC X			
OCU Model: 325-4M-LD-X			
MCU Model: 17R-VC-X			
Configuration: 4 MOTION (3) 2 SPEED, 3 AUX, ALM			
Motors	Speeds	No. of Relays	
3	2	20	
-	-	-	
Additional Functions	# OF RLY	Additional Functions	# OF RLY
ON - ALARM	1	K7 + K6 PB	1
AUX 1	1	-	-
AUX 2	1	-	-
AUX 3	1	-	-

FREQ. TABLE X
 B = 433-434
 D = 450-470
 E = 868
 F = 902-927
 MT = MOMENTARY TX



2.75" [69.85]
 8.56" [217.36]

Relay Contacts	USER ASSIGNED DESIGNATION:
RELAY NOT USED	
RELAY NOT USED	
LIFT	
K7 + K6 PUSHBUTTONS DROP	
MOTION 1 DIR B, SPEED 2	
ON ALARM	

Relay Contacts	USER ASSIGNED DESIGNATION:
System ON/OFF Mainline Contactor	
System ON/OFF Mainline Contactor	
MOTION 1 DIRECTION B	
MOTION 1 DIRECTION A	
MOTION 1 DIR A, SPEED 2	
MOTION 2 DIRECTION B	
MOTION 2 DIRECTION A	
MOTION 2 DIR A + B, SPEED 2	
MOTION 3 DIRECTION B	
MOTION 3 DIRECTION A	
MOTION 3 DIR A + B, SPEED 2	
MOTION 4 DIR A	
MOTION 4 DIR B	
RELAY NOT USED	

* SAFETY RELAYS

REVISIONS		
REV	DESCRIPTION	DATE
A	DRAWN PER ECD-20-0152	19JUN2020

SIGNATURES		DATE	
DRAWN: A. LEWIS		21APR20	
CHECKED: D. STAGG		19JUN20	
ENG: D. STAGG			
Q.A.:			TITLE / DESCRIPTION
			SYSTEM CONFIGURATION SHEET, REMTRON IR OCU TO MCU CONFIGURATION
THIS IS A CAD DRAWING. PREPARED IN ACCORDANCE WITH ANSI Y14		SIZE B	PART NO. N/A
DO NOT SCALE DWG.		SCALE NTS	DRAWING NO. 9D04-9061-A009
SHEET 01 OF 01	REVISION A		

** TWO BUTTON OPERATION FOR K6

THIS DOCUMENT AND ALL INFORMATION CONTAINED WITHIN ARE THE EXCLUSIVE CONFIDENTIAL AND PROPRIETARY PROPERTY OF CATTRON. IT IS NOT TO BE REPRODUCED, NOR IS IT OR ANY PORTION OF IT TO BE USED BY OR DISCLOSED TO ANY OTHER INDIVIDUAL OR LEGAL ENTITY, WITHOUT THE PRIOR WRITTEN APPROVAL OF CATTRON. FURTHERMORE, THE INFORMATION CONTAINED WITHIN THIS CORRESPONDENCE IS ALSO TO BE HANDLED IN ACCORDANCE WITH ANY AND ALL CONFIDENTIALITY AGREEMENTS BETWEEN CATTRON AND THE RECEIVER OR USER OF THIS INFORMATION. © COPYRIGHT CATTRON 2019